# Subject index


**2-hydroxy-4-methoxybenzophenone,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**After sun treatment,** Portable erythema meter and its application to use in human skin, 63
**Ageing,** A new methodology for testing chemicals and drugs on cell activity, 253
**Allergic contact dermatitis,** Structure/activity relationships in contact allergy, 81
**Alpha tocopherol,** Screening tests for free radical scavengers on cutaneous cultrued cells, 105
**Ascorbic acid,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Axillary odour,** The skin microflora and the formation of human axillary odour, 197
**Balsam of Peru,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115
**Barrier creams,** Treatment of irritant contact dermatitis in workmen with perfluoropoly-methylispropyl ether (Fomblin HC), 273
**Beard hair removal,** Measurement of beard hair removal efficacy using image analysis, 229
**Biotransformation,** Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Catechin,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Cell cycle,** A new methodology for testing chemicals and drugs on cell activity, 253
**Cell culture,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Challenge test,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Clear gels,** Transparent formulations of a liposoluble sunscreen agent in an aqueous medium, 185
**Cold cream,** Rheological behaviour of 'Cérat Cosmétique, Ph.F.', 55
**Contact dermatitis,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115: Treatment of irritant contact dermatitis in workmen with perfluoropolymethylisopropyl ether (Fomblin HC), 273
**Coryneform bacteria,** The skin microflora and the formation of human axillary odour, 197
**Cosmetic formulations,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141
**Creams,** Efficiency and usability of silicone surfactants in emulsions, 135
**Critical micelle concentration,** Efficiency and usability of silicone surfactants in emulsions, 135
**Cutaneous ageing,** Methods for assessment of cutaneous ageing, 153
**D values,** Direct contact membrane method for evaluating preservative efficacy in solid cosmetics, 175
**Diffuse reflection,** An investigation of ultraviolet induced erythema using diffuse reflection spectroscopy, 33
**Dowicil 200,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Draize test,** Comparative ocular test of lipopeptidic surfactants, 13
**Emulsions,** Efficiency and usability of silicone surfactants in emulsions, 135
**Erythema,** An investigation of ultraviolet induced erythema using diffuse relection spectroscopy, 33
**Erythema meter,** Portable erythema meter and its application to use in human skin, 63
**Ethics,** Ethics of human testing, 165
**Extensometry,** Methods for assessment of cutaneous ageing, 153
**Fibroblast,** Fural glucitol as free radical scavenger in the process of skin ageing, 1
**Flow cytometry,** A new methodology for testing chemicals and drugs on cell activity, 253
**Fomblin HC,** Treatment of irritant contact dermatitis in workmen with perfluoropoly-methylisopropyl ether (Fomblin HC), 273
**Formaldehyde,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115: Dowicil and 200 Stability test: chemical and microbiological studies, 265
**Free radical,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Fural glucitol,** Fural glucitol as free radical scavenger in the process of skin ageing, 1
**Goniophotometer,** Studies of factors affecting light scattering by individual human hair fibres, 121
**Hair,** Studies of factors affecting light scattering by individual human fibres, 121
**Hairless mouse skin,** Vehicle influence on the permeation of a highly lipophilic molcule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Hazelnut oil,** Influence of hazelnut oil phospholipids on the skin moisturizing effect of a cosmetic emulsion, 243
**High-performance liquid chromatography,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141; Dowicil 200 Stability test: chemical and microbiological studies, 265
**Horny layer,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Human testing,** Ethics of human testing, 165

# Subject index


**2-hydroxy-4-methoxybenzophenone,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**After sun treatment,** Portable erythema meter and its application to use in human skin, 63
**Ageing,** A new methodology for testing chemicals and drugs on cell activity, 253
**Allergic contact dermatitis,** Structure/activity relationships in contact allergy, 81
**Alpha tocopherol,** Screening tests for free radical scavengers on cutaneous cultrued cells, 105
**Ascorbic acid,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Axillary odour,** The skin microflora and the formation of human axillary odour, 197
**Balsam of Peru,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115
**Barrier creams,** Treatment of irritant contact dermatitis in workmen with perfluoropoly-methylispropyl ether (Fomblin HC), 273
**Beard hair removal,** Measurement of beard hair removal efficacy using image analysis, 229
**Biotransformation,** Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Catechin,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Cell cycle,** A new methodology for testing chemicals and drugs on cell activity, 253
**Cell culture,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Challenge test,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Clear gels,** Transparent formulations of a liposoluble sunscreen agent in an aqueous medium, 185
**Cold cream,** Rheological behaviour of 'Cérat Cosmétique, Ph.F.', 55
**Contact dermatitis,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115: Treatment of irritant contact dermatitis in workmen with perfluoropolymethylisopropyl ether (Fomblin HC), 273
**Coryneform bacteria,** The skin microflora and the formation of human axillary odour, 197
**Cosmetic formulations,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141
**Creams,** Efficiency and usability of silicone surfactants in emulsions, 135
**Critical micelle concentration,** Efficiency and usability of silicone surfactants in emulsions, 135
**Cutaneous ageing,** Methods for assessment of cutaneous ageing, 153
**D values,** Direct contact membrane method for evaluating preservative efficacy in solid cosmetics, 175
**Diffuse reflection,** An investigation of ultraviolet induced erythema using diffuse reflection spectroscopy, 33
**Dowicil 200,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Draize test,** Comparative ocular test of lipopeptidic surfactants, 13
**Emulsions,** Efficiency and usability of silicone surfactants in emulsions, 135
**Erythema,** An investigation of ultraviolet induced erythema using diffuse relection spectroscopy, 33
**Erythema meter,** Portable erythema meter and its application to use in human skin, 63
**Ethics,** Ethics of human testing, 165
**Extensometry,** Methods for assessment of cutaneous ageing, 153
**Fibroblast,** Fural glucitol as free radical scavenger in the process of skin ageing, 1
**Flow cytometry,** A new methodology for testing chemicals and drugs on cell activity, 253
**Fomblin HC,** Treatment of irritant contact dermatitis in workmen with perfluoropoly-methylisopropyl ether (Fomblin HC), 273
**Formaldehyde,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115: Dowicil and 200 Stability test: chemical and microbiological studies, 265
**Free radical,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Fural glucitol,** Fural glucitol as free radical scavenger in the process of skin ageing, 1
**Goniophotometer,** Studies of factors affecting light scattering by individual human hair fibres, 121
**Hair,** Studies of factors affecting light scattering by individual human fibres, 121
**Hairless mouse skin,** Vehicle influence on the permeation of a highly lipophilic molcule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Hazelnut oil,** Influence of hazelnut oil phospholipids on the skin moisturizing effect of a cosmetic emulsion, 243
**High-performance liquid chromatography,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141; Dowicil 200 Stability test: chemical and microbiological studies, 265
**Horny layer,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Human testing,** Ethics of human testing, 165

**Image analysis,** Measurement of beard hair removal efficacy using image analysis, 229
***in vitro* model,** The skin microflora and the formation of human axillary odour, 197
**Informed consent,** Ethics of human testing, 165
**Instrumentation,** Portable erythema meter and its application to use in human skin, 63
**Irritancy tests,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser dopler flowmetry study, 43
**Keratin cystine,** Portable erythema meter and its application to use in human skin, 63
**Kubelka–Munk,** An investigation of ultraviolet induced erythema using diffuse relection spectroscopy, 33
**Lanolin derivatives,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Laser doppler flowmetry,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Light scattering,** Studies of factors affecting light scattering by individual human hair fibres, 121
**Lipopeptidic surfactants,** Comparative ocular test of lipopeptidic surfactants, 13
**Lipophilic molecule permeation,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Long-term stability,** Emulsification by the phase inversion temperature method: the role of self-bodying agents and the influence of oil polarity, 217
**Lyotropic liquid crystals,** The importance of lipids for water uptake in stratum corneum, 5
**Mechanism,** Molecular basis of photocontact allergy, 91
**Microbiological activity,** Dowicill 200 Stability test: chemical and microbiological studies, 265
**Microemulsion,** Portable erythema meter and its application to use in human skin, 63
**Mitochondrial probes,** A new methodology for testing chemicals and drugs on cell activity, 253
**Moisturization,** The importance of lipids for water uptake in stratum corneum, 5
**Moisturizing effect,** Influence of hazelnut oil phospholipids on the skin moisturizing effect of a cosmetic emulsion, 243
**Molecular sieves,** Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Nonionic surfactants,** Efficiency and usability of silicone surfactants in emulsions, 135
**Nonionic emulsifiers,** Emulsification by the phase inversion temperature method: the role of self-bodying agents and the influence of oil polarity, 217
**Occupational dermatitis,** Treatment of irritant contact dermatitis in workment with perfluoro-polymethylisopropyl ether (Fomblin HC), 273
**Ocular irritants,** Comparative ocular test of lipopeptidic surfactants, 13
**Oil-in-water emulsion,** Emulsification by the phase inversion temperature method: the role of self-bodying agents and the influence of oil polarity, 217
**p-phenylene diamine,** Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Partition,** Portable erythema meter and its application to use in human skin, 63
**Patch test,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115; Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Percolation,** Portable erythema meter and its application to use in human skin, 63
**Perfluoropolyether,** Treatment of irritant contact dermatitis in workmen with perfluoropoly-methylisopropyl ether (Fomblin HC), 273
**Perfume mixture,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115
**pH,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Photoallergen,** Molecular basis of photocontact allergy, 91
**Phase diagrams,** Transparent formulations of a liposoluble sunscreen agent in an aqueous medium, 185
**Phospholipids,** Studieds on the interaction of p-phenylene diamine with phospholipids, 209: Influence of hazelnut oil phospholipids on the skin moisturizing effect of a cosmetic emulsion, 243
**Photoconjugate,** Molecular basis of photocontact allergy, 91
**Photocontact allergy,** Molecular basis of photo-contact allergy, 91
**Polar oils,** Emulsification by the phase inversion temperature method: the role of self-bodying agents and the influence of oil polarity, 217
**Precolumn derivatization,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141
**Preservative,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Preservative efficacy,** Direct contact membrane method for evaluating preservative efficacy in solid cosmetics, 175
**Prohapten,** Structure/activity relationships in contact allergy, 81
**Protein binding,** Molecular basis of photocontact allergy, 91
**Reflectance,** Studies of factors affecting light scattering by individual human hair fibres, 121
**Relative alkylation index,** Structure/activity relationships in contact allergy, 81
**Rheology,** Rheological behaviour of 'Cérat Cosmétique, Ph.F.', 55

**Scavengers,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Sensitivity,** Sensitivity to perfumes and preservatives in patients with contact dermatitis, 115
**Shaving closeness,** Measurement of beard hair removal efficacy using image analysis, 229
**Silicone,** Efficiency and usability of silicone surfactants in emulsions, 135
**Silymarin,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Skin surface contour,** Methods for assessment of cutaneous ageing, 153
**Skin ageing,** Fural glucitol as free radical scavenger in the process of skin ageing, 1
**Skin thickness,** Methods for assessment of cutaneous ageing, 153
**Skin irritation,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Skin microflora,** The skin microflora and the formation of human axillary odour, 197
**Skin,** The importance of lipids for water uptake in stratum corneum, 5; An investigation of ultraviolet induced erythema using diffuse relection spectroscopy, 33; Portable erythema meter and its application to use in human skin, 63: Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Soaps,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Solid cosmetics,** Direct contact membrane method for evaluating preservative efficacy in solid cosmetics, 175
**Spectral characterization,** Studies on the interaction of p-phenylene diamine with phospholipids, 209
**Stability,** Dowicil 200 Stability test: chemical and microbiological studies, 265
**Stability testing,** Efficiency and usability of silicone surfactants in emulsions, 135
**Steroid,** The skin microflora and the formation of human axillary odour, 197
**Stratum corneum lipids,** The importance of lipids for water uptake in stratum corneum, 5
**Stratum corneum replacement time,** Methods for assessment of cutaneous ageing, 153
**Stratum corneum water uptake,** The importance of lipids for water uptake in stratum corneum, 5
**Structure activity,** Structure/activity relationships in contact allergy, 81
**Sunburn,** An investigation of ultraviolet induced erythema using diffuse relection spectroscopy, 33
**Sunfilters,** Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Sunscreen solubilization,** Transparent formulations of a liposoluble sunscreen agent in an aqueous medium, 185
**Surfactants and detergents,** The importance of lipids for water uptake in stratum corneum, 5
**Synthetic detergents,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser doppler flowmetry study, 43
**Thioglycolic acid,** HPLC determination of thioglycolic acid and other aliphatic thiols in cosmetic formulations using ethacrynic acid as precolumn derivatization reagent, 141
**Thioglycolic acid,** Portable erythema meter and its application to use in human skin, 63
**Thixotropy,** Rheological behaviour of 'Cérat Cosmétique, Ph.F.', 55
**UV,** Portable erythema meter and its application to use in human skin, 63; Screening tests for free radical scavengers on cutaneous cultured cells, 105
**Vegetable oils,** Influence of hazelnut oil phospholipids on the skin moisturizing effect of a cosmetic emulsion, 243
**Vehicle influence,** Vehicle influence on the permeation of a highly lipophilic molecule. An *in vitro* technique to evaluate skin-vehicle interactions, 21
**Viscosity,** Rheological behaviour of 'Cérat Cosmétique, Ph.F.', 55; Emulsification by the phase inversion temperature method: the role of self-bodying agents and the influence of oil polarity, 217
**Visual score,** Quantitation of mild irritant reactions due to repeated patch application of liquid cleaners. A laser dopler flowmetry study, 43
**Xanthine-oxidase,** Screening tests for free radical scavengers on cutaneous cultured cells, 105